

Divgi TorqTransfer Systems Limited

CIN: L32201MH1964PLC013085 75, General Block, MIDC, Bhosari,

Pune 411 026, India Tel: (+91-20) 63110100 Web: www.divgi-tts.com

Ref.: DTTS/Sec/25-26/08

May 23, 2025

To,	To,
BSE Limited,	National Stock Exchange of India Limited,
Phiroze Jeejeebhoy Towers,	"Exchange Plaza" 5th Floor,
Dalal Street, Mumbai - 400001	Plot No. C-1, G Block,
	Bandra Kurla Complex, Bandra (East),
	Mumbai – 400051
BSE Scrip Code - 543812	
-	NSE Scrip Code - DIVGIITTS

Sub: Prior Intimation of Board Meeting

Ref.: Regulation 29 of the LODR Regulations

Dear Sir / Madam,

Pursuant to Regulation 29 of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015, this is to inform you that the meeting of the Board of Directors of the Company is scheduled to be held on **Friday, May 30, 2025,** inter alia:

- 1. To consider and approve the Audited Financial Results of the Company for the quarter and year ended March 31, 2025.
- 2. Any other business with the permission of the Chair.

Closure of Trading Window:

Further, referring to our communication dated March 25, 2025, and pursuant to SEBI (Prohibition of Insider Trading) Regulations, 2015 and Company's Code of Conduct for Prohibition of Insider Trading, we had intimated that the trading window will remain closed from April 01, 2025, till 48 hours after the declaration of Audited Financial Results of the Company for the quarter and year ended March 31, 2025.

Divgi TorqTransfer Systems Limited

CIN: L32201MH1964PLC013085 75, General Block, MIDC, Bhosari, Pune 411 026, India

Tel: (+91-20) 63110100 Web: www.divgi-tts.com

We hereby inform you that the trading window shall remain closed until Sunday, June 01, 2025, being 48 hours from the declaration of Audited Financial Results of the Company for the quarter and financial year ended March 31, 2025, as mentioned above. The trading window shall open on Monday, June 02, 2025.

Kindly take the same on your record.

Thanking you,

For Divgi TorqTransfer Systems Limited

Hirendra Divgi Whole-Time Director DIN: 01634431